

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7336	((713/152) or (713/155) or (713/158) or (713/165) or (713/175-176) or (380/1) or (380/37) or (380/54) or (380/229) or (380/232) or (382/100) or (382/132) or (705/57-59) or (726/2) or (726/16) or (726/30)).CQLS.	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L2	3492	L1 and ((run\$4 exe \$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L3	94331	(generat\$4 predefin\$9 predetermin\$9 pre-defin\$9 pre-determin\$9 creat\$4) near4 (message\$1 instruct\$4)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L4	2796	L2 and (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L5	1040	L4 and L3	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L6	85980	(input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit\$5) near4 (signature\$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L7	22	L5 and (call near3 handl\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L8	20	L7 and request\$4	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34

L9	3271	(message\$1) near9 (associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 predetermin\$6 prestor\$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L10	1455	L9 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L11	1086	L10 and ((input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit\$5) near8 (signature\$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L12	457	(socket\$1) and (request\$4 near5 handl\$4) and (call near6 handl\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L13	414	L12 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L14	4897	(message\$1 packet\$6 datagram\$3) near9 (associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L15	3	L13 and L14	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34

L16	92854	(input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit \$5) near5 (signature \$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher \$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L17	9	L8 and kernel\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L18	4561	(message\$1 packet \$6 datagram\$3 instruct\$4) near6 (predefin\$6 pre-defin \$6 associat\$4 accord \$4 correspond\$4 respective\$2 known predetermin\$6 pre- determin\$6 prestor \$4 pre-stor\$4) near6 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher \$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L19	3043	L16 and L18	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L20	68	L19 and (call near9 handl\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L21	5	L20 and socket\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L22	257	L19 and socket\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L23	145	L22 and call\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L24	156	L22 and call\$3 and handl\$3	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L25	12	L24 and kernel\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L26	10	L25 and ((run\$4 exe \$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L27	9	L17 and socket\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34

L28	35	(socket\$1 near3 hand\$4) and (request\$4 near3 hand\$4) and (call near3 hand\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L29	31	L28 and ((run\$4 exe \$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L30	12	L29 and L3	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L31	20719	L6 and ((run\$4 exe \$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L32	6612	L31 and L3	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L33	1021	L32 and socket\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L34	93	L33 and (call near3 hand\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L35	4391	(message\$1 instruct \$4) near9 (associat \$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor \$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher \$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L36	93	L34 and request\$4	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L37	1	L35 and L36	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L38	52	L11 and (call near9 hand\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L39	13	L38 and socket\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L40	13	L39 and message\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L41	14	jacobs near3 stuart	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L42	0	mannix near3 francis	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34

L43	7	christoffel near3 thomas	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L44	0	belgard near3 scott	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L45	0	(L41 L43) and (kernel \$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L46	14	(L41 L43) and (call near3 hand\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L47	0	(L41 L43) and (call and socket\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L48	16	(L41 L43) and (call \$3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L49	48	(PKI (public near2 key\$1 near2 infrastructure\$1) PKAI (public near2 key\$1 near2 (authori \$7 authenticat\$4) near2 infrastructure \$1)) with ((user\$2 client\$1) near3 (application\$1 software\$1 email\$1 e-mail\$3 program \$1))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L50	889	(PKI (public near2 key\$1 near2 infrastructure\$1) PKAI (public near2 key\$1 near2 (authori \$7 authenticat\$4) near2 infrastructure \$1)) and ((user\$2 client\$1) near3 (application\$1 software\$1 email\$1 e-mail\$3 program \$1))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L51	217	L50 and ((predefin\$3 defin\$3 pre-defin\$3 predetermin\$2 pre- determin\$2 preknown pre- known) near3 (message\$1 packet \$1 datagram\$3))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34

L52	54	(call\$3 near3 handl\$4) and (request\$3 near3 handl\$4) and (socket\$1 near3 handl\$4)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L53	3	L50 and L52	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L54	3	L51 and L52	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L55	70	(call\$3 near3 handl\$4) and L50	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L56	4	(call\$3 near3 handl\$4) and L49	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L57	44	L55 and ((predefin\$3 defin\$3 pre-defin\$3 predetermin\$2 predetermin\$2 preknown pre-known) near3 (message\$1 packet\$1 datagram\$3))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L58	56048	(generat\$4 creat\$5) near4 (message\$1 packet\$1 datagram\$3)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L59	5426	((receiv\$4 accept\$4 requir\$6) near4 (input\$4 enter\$3 entry) near3 (cryptographic\$4 crypto encod\$3 encipher\$7 cipher\$9))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L60	575	L58 and L59	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L61	1	L60 and L50	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L62	1	(PKI (public near2 key\$1 near2 infrastructure\$1) PKAI (public near2 key\$1 near2 (authori\$7 authenticat\$4) near2 infrastructure\$1)) and L60	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34

L63	68164	(receiv\$4 accept\$4 requir\$6 input\$4 enter\$3 entry) near4 (cryptographic\$4 crypto encod\$3 encipher\$7 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L64	575	L60 and L63	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L65	231	L64 and ((predefin\$3 defin\$3 pre-defin\$3 predetermin\$2 pre- determin\$2 preknown pre- known) near3 (message\$1 packet \$1 datagram\$3))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L66	1	L65 and L50	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L67	1	(PKI (public near2 key\$1 near2 infrastructure\$1) PKAI (public near2 key\$1 near2 (authori \$7 authenticat\$4) near2 infrastructure \$1)) and L65	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L68	1	(PKI (public near2 key\$1 near2 infrastructure\$1) PKAI (public near2 key\$1 near2 (authori \$7 authenticat\$4) near2 infrastructure \$1)) and L64	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L69	84	(PKI (public near2 key\$1 near2 infrastructure\$1) PKAI (public near2 key\$1 near2 (authori \$7 authenticat\$4) near2 infrastructure \$1)) and (call\$3 near3 hand\$4)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L70	56	L58 and L69	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34

L71	45	L70 and ((predefin\$3 defin\$3 pre-defin\$3 predetermin\$2 pre-determin\$2 preknown pre-known) near3 (message\$1 packet \$1 datagram\$3))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L72	51	(PKI (public near2 key\$1 near2 infrastructure\$1) PKAI (public near2 key\$1 near2 (authori \$7 authenticat\$4) near2 infrastructure \$1)) and (call\$3 adj3 hand\$4)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L73	194	(PKI (public near2 key\$1 near2 infrastructure\$1) PKAI (public near2 key\$1 near2 (authori \$7 authenticat\$4) near2 infrastructure \$1)) and (call\$3 near3 function\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L74	131	L58 and L73	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L75	30	L74 and L63	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L76	5	L75 and ((predefin\$3 defin\$3 pre-defin\$3 predetermin\$2 pre-determin\$2 preknown pre-known) near3 (message\$1 packet \$1 datagram\$3))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L77	2	L59 and L50	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L78	5	(PKI (public near2 key\$1 near2 infrastructure\$1) PKAI (public near2 key\$1 near2 (authori \$7 authenticat\$4) near2 infrastructure \$1)) and L59	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L79	0	L78 and (call\$3 near3 hand\$4)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34

L80	947	((mobile\$1 portable\$1) near3 (station\$1 unit\$1 device\$1)) pda\$1 handheld\$1 laptop) near7 (area\$1 vicinit\$3 range\$1 close near\$2) near8 (lan (local near3 network\$1))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L81	281	L80 and ((access\$2 relay\$3) near3 (point\$1) near2 (device\$1 station\$1 system\$1 computer\$1))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L82	144	(input\$3 keyboard\$3 enter\$3 entry) near5 ((access\$2 relay\$3) near3 (point\$1) near2 (device\$1 station\$1 system\$1 computer\$1))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L83	1903	(input\$3 keyboard\$3 enter\$3 entry) near5 ((access\$2 relay\$3) near3 (point\$1))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L84	2159	(input\$3 keyboard\$3 enter\$3 entry) near7 ((access\$2 relay\$3) near3 (point\$1))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L85	56	L80 and L84	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L86	7	L85 and ((request\$3 obtain\$3 determin\$7 perform\$3 initiat\$4 initial\$7) near4 (authenticat\$4 authori\$7))	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:34
L87	304	(encrypt\$8 cipher\$8 encipher\$8 crypto\$9 encod\$3) near8 kernel\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:38
L88	580	(socket\$1 handler\$1) near8 kernel\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:38
L89	38	87 and 88	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:39

L90	98	(generat\$4 creat\$4 compos\$4) near6 (message\$1 packet \$1 datagram\$3) near6 kernel\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:40
L91	1314	(generat\$4 creat\$4 compos\$4) near6 (message\$1 packet \$1 datagram\$3) near6 (OS (operat\$4 near5 system\$4) kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:41
L92	1494	(generat\$4 creat\$4 compos\$4) near6 (message\$1 packet \$1 datagram\$3) near6 (OS windows (operat\$4 near5 system\$4) kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:41
L93	1	89 and 90	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:42
L94	1	89 and 93	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:45
L95	16462	(generat\$4 creat\$4 compos\$4) near6 (message\$1 packet \$1 datagram\$3) near6 (node\$1 workstation\$1 computer\$1 system \$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 12:57
L96	21	89 and 95	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:02
L97	6579	(encrypt\$8 cipher\$8 encipher\$8 crypto\$9 encod\$3) near8 (OS windows (operat\$4 near5 system\$4) kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:05
L98	488	97 and 95	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:09
L99	250	(socket\$1 ((call request\$3) near5 handler\$1)) near8 kernel\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:09
L100	0	98 and 99	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:09

L101	2018	(socket\$1 call request\$3 handler \$1) near8 kernel\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:10
L102	0	98 and 100	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:10
L103	27488	(socket\$1 call request\$3 handler \$1) near8 (OS windows (operat\$4 near5 system\$4) kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:10
L104	1683	(socket\$1 ((call request\$3) near5 handler\$1)) near8 (OS windows (operat\$4 near5 system\$4) kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:11
L105	5	98 and 104	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:11
L106	149	98 and 103	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:19
L108	1162	(encrypt\$8 cipher\$8 encipher\$8 crypto\$9 encod\$3) near8 (process\$4 evaluat\$4 determin\$8 decid\$3 decision\$1 component\$1) near8 (OS windows (operat\$4 near5 system\$4) kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:23
L109	92	108 and 95	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:29
L110	46	109 and 103	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:32
L111	570	(encrypt\$8 cipher\$8 encipher\$8 crypto\$9 encod\$3) near8 (process\$4 evaluat\$4 determin\$8 decid\$3 decision\$1 component\$1) near8 (OS windows (operat\$4 adj2 system\$1) kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:56
L112	54	111 and 95	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:56

L113	28	{socket\$1 ((call request\$3) near5 handler\$1)) and 112	USPAT; IBM_TDB	OR	OFF	2008/09/04 13:57
L114	1403	{socket\$1 ((call request\$3) near5 handler\$1)) near8 (OS windows (operat \$4 adj2 system\$4) kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:11
L115	250	{socket\$1 ((call request\$3) near5 handler\$1)) near8 (kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:11
L116	34	115 and (generat\$4 near4 message\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:12
L117	52	((socket\$1 near4 handler\$1) ((call request\$3) near5 handler\$1)) near8 (kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:13
L118	3	117 and (generat\$4 near4 message\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:13
L119	84	((socket\$1 near4 handler\$1) ((call request\$3) near5 handler\$1)) near8 (os kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:13
L120	5	119 and (generat\$4 near4 message\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:13
L121	44	119 and message\$1	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:14
L122	1	((socket\$1 near4 handler\$1) and ((call request\$3) near5 handler\$1)) near8 (os kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:15
L123	2	{socket\$1 near4 handler\$1) near8 (os kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:15
L124	83	((call request\$3) near5 handler\$1) near8 (os kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:15
L125	314	{socket\$1) near8 (os kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:15
L126	5	124 and 125	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:16
L127	1	124 and 123	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:16

L128	1	("6363477").PN.	USPAT; IBM_TDB	OR	OFF	2008/09/04 14:19
------	---	-----------------	-------------------	----	-----	---------------------

9/ 4/ 08 2:19:57 PM

C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\09591708.wsp